

USDA National Nutrient Database for Standard Reference Release 28

Statistics Report 14051, Alcoholic beverage, distilled, vodka, 80 proof

Report Date: December 09, 2015 16:35 EST

Nutrient values and weights are for edible portion.

| Nutrient | Unit | Value Per 100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|-----------------------------|------|--------------------|----------------|------------|-----|-----|----|----|----|-----------|---------------------------------------|---------|---------------|
| Proximates | | | | | | | | | | | | | |
| Water | g | 66.60 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Energy | kcal | 231 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 05/1986 |
| Energy | kJ | 967 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 06/2005 |
| Protein | g | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Total lipid (fat) | g | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Ash | g | 0.01 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 07/2015 |
| Carbohydrate, by difference | g | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Fiber, total dietary | g | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 04/1996 |
| Sugars, total | g | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 06/2005 |
| Minerals | | | | | | | | | | | | | |
| Calcium, Ca | mg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|--------------------------------|------|----------------|-------------|------------|-----|-----|----|----|----|-----------|---------------------------------------|---------|---------------|
| Iron, Fe | mg | 0.01 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Magnesium, Mg | mg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Phosphorus, P | mg | 5 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Potassium, K | mg | 1 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Sodium, Na | mg | 1 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Zinc, Zn | mg | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Copper, Cu | mg | 0.010 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Manganese, Mn | mg | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Selenium, Se | µg | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 12/1997 |
| Vitamins | | | | | | | | | | | | | |
| Vitamin C, total ascorbic acid | mg | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|---------------------|------|----------------|-------------|------------|-----|-----|----|----|----|-----------|---------------------------------------|---------|---------------|
| Thiamin | mg | 0.005 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Riboflavin | mg | 0.007 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Niacin | mg | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Pantothenic acid | mg | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Vitamin B-6 | mg | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Folate, total | µg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Folic acid | µg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 01/2001 |
| Folate, food | µg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Folate, DFE | µg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 05/2006 |
| Vitamin B-12 | µg | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 05/1986 |
| Vitamin B-12, added | µg | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 09/2004 |
| Retinol | µg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 06/2002 |

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|------------------------------|------|-------------------|----------------|------------|-----|-----|----|----|----|-----------|--|---------|------------------|
| Vitamin A, IU | IU | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Lipids | | | | | | | | | | | | | |
| Fatty acids, total saturated | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 4:0 | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 6:0 | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 8:0 | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 10:0 | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 12:0 | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 14:0 | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 16:0 | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 18:0 | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|------------------------------------|------|----------------|-------------|------------|-----|-----|----|----|----|-----------|---------------------------------------|---------|---------------|
| Fatty acids, total monounsaturated | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 16:1 undifferentiated | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 18:1 undifferentiated | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 20:1 | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 22:1 undifferentiated | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Fatty acids, total polyunsaturated | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 18:2 undifferentiated | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 18:3 undifferentiated | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 18:4 | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 20:4 undifferentiated | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|--------------------------|------|----------------|-------------|------------|-----|-----|----|----|----|-----------|---------------------------------------|---------|---------------|
| 20:5 n-3 (EPA) | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 22:5 n-3 (DPA) | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| 22:6 n-3 (DHA) | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Fatty acids, total trans | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 06/2015 |
| Cholesterol | mg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Amino Acids | | | | | | | | | | | | | |
| Tryptophan | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Threonine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Isoleucine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Leucine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Lysine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|---------------|------|----------------|-------------|------------|-----|-----|----|----|----|-----------|---------------------------------------|---------|---------------|
| Methionine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Cystine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Phenylalanine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Tyrosine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Valine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Arginine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Histidine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Alanine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Aspartic acid | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Glutamic acid | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|----------------|------|-------------------|----------------|------------|-----|-----|----|----|----|-----------|--|---------|------------------|
| Glycine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Proline | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Serine | g | 0.000 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |
| Other | | | | | | | | | | | | | |
| Alcohol, ethyl | g | 33.4 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 05/1986 |